# ProxPoint<sup>®</sup> Plus Reader

Value Priced Proximity Card Reader • 6005



## ACCESS reliability.

#### Application


HID's ProxPoint<sup>®</sup> Plus reader combines multiple configuration options with an attractive, inconspicuous design and economical price. Its secure potted electronics are ideal for both indoor and outdoor applications.


### Features

- Features a beeper and multicolor LED which can be host-and/or locally controlled.
- Enables various beeper and LED configurations, depending on individual site requirements.
- Can read HID cards with formats up to 85 bits.
- Designed for mounting directly onto metal with no change in read range performance.
- Available with either Wiegand or Clock-and-Data (magnetic stripe data) output.
- Compatible with all standard access control systems.
- Aesthetic design available in two cover designs and in four colors to match any decor.
- Includes multilingual installation manual.

Mounting	Unobtrusive design can be mounted directly onto metal such as door mullions.
Audiovisual Indication	Audiovisual indication: when a proximity card is presented to the reader, the red LED flashes green and the beeper sounds. The multicolor LED and beeper can also be controlled individually by the host system.
Diagnostics	On reader power-up, an internal self-test routine checks and verifies the setup configuration, determines the internal or external control of the LED and beeper, and initializes reader operation. An additional external loop-back test allows for the reader outputs and inputs to be verified without the use of ad- ditional test equipment.
Indoor/outdoor Design	Sealed in a rugged, weatherized polycarbonate enclosure designed to withstand harsh environments, providing reliable performance and a high degree of vandal resistance.
Easily Interfaced	Wiegand output model interfaces with all existing Wiegand protocol access control systems. Clock-and-Data (magnetic stripe) model interfaces with most systems that accept magnetic stripe readers.
Security	Recognizes card formats up to 85 bits, with over 137 billion unique codes.
Warranty	Lifetime warranty against defects in materials and workmanship (see complete sales policy for details).
Part Numbers	Base Part No.: 6005B Wiegand Interface Base Part No.: 6008B Clock-and-Data Interface
Description	Tri-State LED, Pigtail Connection
Options	<ul> <li>CLASSIC series cover in gray, beige, black or white (or)</li> <li>Designer series cover in grey, wave blue, black or white</li> <li>custom label</li> <li>custom embossing in housing</li> </ul>
	(Plasse ase "I low to Order Cuide" for a description of aptions

(Please see "How to Order Guide" for a description of options and associated part numbers).





#### Typical Maximum\* Read Range

ProxCard® II card - up to 3" (7.6 cm) ISOProx® II card - up to 2.5" (6.35 cm) DuoProx® II card – up to 2.5" (6.35 cm) Smart ISOProx<sup>®</sup>/DuoProx<sup>®</sup> II cards – up to 2.5" (6.35 cm) Proximity & MIFARE<sup>®</sup> card - up to 2.5" (6.35 cm) ProxCard<sup>®</sup> Plus card - up to 1.0" (2.5 cm) ProxKey® II keyfob - up to 1.5" (3.8 cm) MicroProx® Tag - up to 2" (5.1 cm) \*Depending on local installation conditions.

#### **Dimensions**

3.135" x 1.720" x 0.660" (7.96 x 4.37 x 1.68 cm)

Material: Polycarbonate UL 94

#### **Power Supply**

Linear power supplies are recommended.

#### **Maximum Current Requirements**

Current (DC Average 30 mA, Peak 75 mA

## **Operating Temperature** -22° to 150° F (-30° to 65° C)

#### **Operating Humidity**

0-95% relative humidity noncondensing

#### Transmit Frequency: 125 kHz

Weight: 2.7 oz. (75 gm)

#### Environmental: IP55

#### Certifications

UL294/cUL (US), FCC Certification (US), IC (Canada), CE (EU), C-tick (Australia, New Zealand), SRRC (China), MIC (Korea), NCC (Taiwan), MIC (Japan), iDA (Singapore), RoHS

#### Cable Distance

Wiegand or Clock-and-Data interface: 500 feet (150 m) Recommended cable is ALPHA 1295 (22 AWG) 5 conductor stranded with overall shield or equivalent.

© 2009 HID Global. All rights reserved. HID, and the HID logo are trademarks or registered trademarks of HID Global in the U.S. and/or other countries. All other trademarks, service marks, and product or service names are trademarks or registered trademarks of their respective owners. Rev. 05/2009

MKT-PROXPOINT\_DS\_EN

#### hidglobal.com

#### **HID Global Offices:**

**ACCESS** experience.

#### Corporate North America

15370 Barranca Pkwy rvine. CA 92618 (800) 237-7769 (949) 732-2000 (949) 732-2360

# **Asia Pacific** 19/F 625 King's Road -852 3160-9800 852 3160-4809

# Latin America Circunvalacion Ote. #201 B Despacho 2 Col. Jardines del Moral Leon 37160, Gto. Mexico Phone: +52 477 779 1492 Fax: +52 477 779 1493

For best results, please print on recycled paper.

Europe, Middle East & Africa Haverhill Business Park Phoenix Road Haverhill Suffolk CB9 7AE England +44 (0) 1440 714 850 +44 (0) 1440 714 840





About BarcodesInc

#### Who We Are

#### We Owe Our Success To You

#### Why Choose BarcodesInc?

#### Dedicated Account A UbU[ Yf

Our Account Managers will not compromise when it comes to providing you top-notch service. Your Account Manager is the primary point of contact for your business and makes it a priority to get to know you, your company and all your needs.

#### **Highly-Trained Technical Support**

Our technical staff has the broadest knowledge and every significant certification in the industry. One of our friendly experts is always available to suggest products and solutions for any situation.

#### **Incredible Value**

Our purchasing power means big savings for you. Whatever your project, our team will work hard to deliver a solution that fits your budget.

#### Largest Inventory in the Industry and Same-Day Shipping

Whatever your barcoding, mobile computing, or printing needs, we will fill your order and ship it the same A 2

#### **Premier Access to Top Manufacturers**

BarcodesInc maintains strong strategic partnerships with the leading manufacturers in barcoding, mobile computing, printing and RFID.

#### **Responsive Customer Service**

Every phone call and email is responded to promptly, completely and accurately by our customer service & at È

#### Easy Returns

Damaged, defective or incorrectly ordered goods may be returned without hassle.

BarcodesInc 200 West Monroe Street Chicago, Illinois 60606

Phone: 1-800-351-9962 Fax: 1-312-212-1800 www.barcodesinc.com

BRANDS





Intermec

Honeywell

ODATALOGIC











unitech



**Microsoft** 



<u>symbol</u>' AND MORE